


Amendments to the Claims

Please amend Claims 1, 18, 27-29, 31, and 32. The Claim Listing below will replace all prior versions of the claims in the application:

Claim Listing

- FI
1. (Currently Amended) A method for prioritizing a network management request sent by a management station to a managed element, comprising the steps of:
upon receiving a network management request, assigning a priority value to the received network management request, the priority value assigned received by the managed element dependent upon a user identifier in a network management wrapper included in the request, the user identifier identifying the user of an application from which the request was sent; and
scheduling the network management request, by the managed element dependent on the assigned priority value.
 2. (Canceled).
 3. (Previously Presented) The method as claimed in Claim 1 wherein the step of assigning further comprises the step of:
adding a priority value to an authentication group comprising a plurality of users, in an authentication table.
 4. (Canceled).
 5. (Previously Presented) The method as claimed in Claim 3 wherein the step of scheduling further comprises the steps of:
extracting a user identifier from the received network management request; and
determining the priority value by using the extracted user identifier to index the authentication table.

- 
6. (Previously Presented) The method as claimed in Claim 5 wherein the step of scheduling further comprises the step of:
 - selecting the order of execution of the network management request dependent on the determined priority value.
 7. (Previously Presented) The method as claimed in Claim 6 wherein the step of selecting further comprises the step of:
 - preempting the currently executing task if the determined value for the management request is higher than the currently executing task.
 8. (Previously Presented) The method as claimed in Claim 6 wherein the step of selecting further comprises the step of:
 - adding the management request to the end of a request queue if the determined priority is lower than the priority of the tasks in the request queue.
 9. (Previously Presented) The method as claimed in Claim 6 wherein the step of selecting further comprises the step of:
 - adding the management request to the front of a request queue if the determined priority is higher than the priority of the tasks in the request queue.
 10. (Canceled).
 11. (Previously Presented) The method as claimed in Claim 3 wherein the step of scheduling further comprises the step of:
 - selecting the order of execution of the network management request dependent on the determined priority value.
 12. (Previously Presented) The method as claimed in Claim 11 wherein the step of selecting further comprises the step of:

F | preempting a currently executing task if the determined value for the management request is higher than the currently executing task

13. (Previously Presented) The method as claimed in Claim 11 wherein the step of selecting further comprises the step of:
 - adding the management request to the bottom of a request queue if the determined priority is lower than the priority of the tasks in the request queue.
14. (Previously Presented) The method as claimed in Claim 11 wherein the step of selecting further comprises the step of:
 - adding the management request to the top of a request queue if the determined priority is higher than the priority of the tasks in the request queue.
- 15 - 17 (Canceled).
18. (Currently Amended) An apparatus for prioritizing a network management request sent by a management station to a managed element, comprising:
 - a priority assignment routine which upon receiving a network management request assigns a priority value to the received network management request ~~received by the managed element, the priority value assigned in the managed element~~ dependent upon a user identifier in a network management header included in the request, the user identifier identifying the user of an application from which the request was sent; and
 - a network management request routine which schedules the network management request in the managed element dependent on the assigned priority value.
19. (Canceled).
20. (Previously Presented) The apparatus as claimed in Claim 18 wherein the priority assignment routine further comprises:

FI
a priority value assignment routine which adds a priority value to an authentication group comprising a plurality of users, in an authentication table.

21. (Previously Presented) The apparatus as claimed in Claim 20 wherein the network management routine further comprises:

a user identification extraction routine which extracts a user identifier from the network management request; and

a priority value extraction routine which determines the priority value by using the extracted user identifier to index the authentication table.

22. (Canceled).

23. (Previously Presented) The apparatus as claimed in Claim 18 wherein the network management routine further comprises:

a source identification extraction routine which extracts the user identifier from the network management request; and

a priority value determination routine which determines the priority value using the extracted user identifier to index the source identification table.

- 24 - 26. (Canceled).

27. (Currently Amended) An apparatus for prioritizing a network management request sent by a management station to a managed element, comprising:

a priority assignment routine;

a network management request scheduler;

upon receiving a network management request, means, within the priority assignment routine, for assigning a priority value to the received network management request ~~received from~~, the priority value assigned in the managed element dependent upon a user identifier in a network management wrapper included in the network

F1
management request, the user identifier identifying the user of an application from which the request was sent; and

means, within the network management request scheduler, for scheduling the network management request in the managed element dependent on the assigned priority value.

28. (Currently Amended) A computer program product for prioritizing a network management request sent by a management station to a managed element, the computer program product comprising a computer usable medium having computer readable code thereon, including program code which:

upon receiving a network management request, assigns a priority value to the received network management request, the priority value assigned received by the managed element dependent upon a user identifier in a network management header included in the request, the user identifier identifying the user of the application from which the request was sent; and

schedules the network management request in the managed element dependent on the assigned priority value.

29. (Currently Amended) A method for prioritizing a message requesting information stored in a managed element, the message being sent by a management station to the managed element, comprising the steps of:

upon receiving a network management request, assigning a priority value to the received message received, the priority value assigned by the managed element dependent upon a user identifier in a network management wrapper included in the request, the user identifier identifying the user of an application from which the request was sent; and

scheduling the message, by the managed element dependent on the assigned priority value.

30. (Previously Presented) The method of Claim 29 wherein the message is in the form of a Simple Network Management Request.

31. (Currently Amended) A method for prioritizing a Simple Network Management Protocol message sent by a management station to the managed element, comprising the steps of:
upon receiving a network management request, assigning a priority value to the received Simple Network Management Protocol message received, the priority assigned by the managed element dependent upon a user identifier in a network management wrapper included in the message, the user identifier identifying the user of an application from which the message was sent; and
scheduling the message, by the managed element dependent on the assigned priority value.
32. (Currently Amended) A method for prioritizing a network management request sent by a management station to a managed element, comprising the steps of:
upon receiving a network management request, assigning a priority value to the received network management request received, the priority assigned by the managed element dependent upon a source identifier in a network management wrapper included in the request, the source identifier identifying the source of an application from which the request was sent; and
scheduling the network management request, by the managed element dependent on the assigned priority value.
33. (Previously Presented) The method as claimed in Claim 32 wherein the step of assigning further comprises the step of:
adding a priority value to the source identifier in a source identification table.
34. (Previously Presented) The method as claimed in Claim 33 wherein the step of scheduling further comprises the step of:
extracting the source identifier from the network management request; and
determining the priority value by using the extracted source identifier to index the source identification table.